



2022



GMR - RM2 - RM















PINZE FORESTALI

FORESTRY GRABS - GRAPPINS A BOIS
HOLZGREIFER - PINZAS CARGAS-TRONCOS

















GMR 1500



	ton 6,0 - 8,0	 $m^2 (yd^2)$ 0,27 (0,32)	 $mm (in)$ 850 (33,5)
	Kg. (lb.) 3000 (6615,0)	 $mm (in)$ 95 (3,8)	
	Kg. (lb.) 196 (432,2)	 $mm (in)$ 815 (32,1)	
	$mm (in)$ 1610 (63,4)	 $mm (in)$ 580 (22,8)	
	bar (psi) 200 (2900,8)	 $A mm (in)$ 372 (14,7)	 $B mm (in)$ 675 (26,6)
	lt. (gal) 50 (13,2)	 $mm (in)$ 495 (19,5)	















GMR 1500 SP



	ton 6,0 - 8,0	 $m^2 (yd^2)$ 0,26 (0,31)	 $mm (in)$ 830 (32,7)
	Kg. (lb.) 3000 (6615,0)	 $mm (in)$ 95 (3,7)	
	Kg. (lb.) 225 (496,1)	 $mm (in)$ 815 (32,1)	
	$mm (in)$ 1650 (65,0)	 $mm (in)$ 580 (22,8)	
	bar (psi) 200 (2900,8)	 $A mm (in)$ 320 (12,6)	 $B mm (in)$ 635 (25,0)
	lt. (gal) 55 (14,5)	 $mm (in)$ 575 (22,7)	















GMR 1750



	ton 7,0 - 8,5	 $m^2 (yd^2)$ 0,38 (0,45)	 $mm (in)$ 985 (38,8)
	Kg. (lb.) 3000 (6615,0)	 $mm (in)$ 120 (4,73)	
	Kg. (lb.) 265 (584,3)	 $mm (in)$ 960 (37,8)	
	$mm (in)$ 1740 (68,6)	 $mm (in)$ 630 (24,8)	
	bar (psi) 200 (2900,8)	 $A mm (in)$ 540 (21,2)	 $B mm (in)$ 890 (35,1)
	lt. (gal) 55 (14,5)	 $mm (in)$ 495 (19,5)	















GMR 1750 SP



	ton 7,0 - 8,0	 $m^2 (yd^2)$ 0,35 (0,42)	 $mm (in)$ 962 (37,9)
	Kg. (lb.) 3000 (6615,0)	 $mm (in)$ 120 (4,7)	
	Kg. (lb.) 303 (668,1)	 $mm (in)$ 960 (37,8)	
	$mm (in)$ 1760 (69,3)	 $mm (in)$ 630 (24,8)	
	bar (psi) 200 (2900,8)	 $A mm (in)$ 490 (19,3)	 $B mm (in)$ 835 (32,9)
	lt. (gal) 55 (14,5)	 $mm (in)$ 575 (22,6)	















GMR 1500 XT



	ton 7,0 - 8,5	 $m^2 (yd^2)$ 0,27 (0,32)	 $mm (in)$ 830 (32,7)
	Kg. (lb.) 3500 (7717,5)	 $mm (in)$ 95 (3,7)	
	Kg. (lb.) 230 (507,1)	 $mm (in)$ 815 (32,1)	
	$mm (in)$ 1650 (65,0)	 $mm (in)$ 580 (22,8)	
	bar (psi) 200 (2900,8)	 $A mm (in)$ 320 (12,6)	 $B mm (in)$ 635 (25,0)
	lt. (gal) 50 (13,2)	 $mm (in)$ 575 (22,7)	















GMR 1500 FX



	ton 6,0 - 8,0	 $m^2 (yd^2)$ 0,27 (0,32)	 $mm (in)$ 890 (35,1)
	Kg. (lb.) 3000 (6615,0)	 $mm (in)$ 95 (3,7)	
	Kg. (lb.) 232 (511,6)	 $mm (in)$ 815 (32,1)	
	$mm (in)$ 1610 (63,4)	 $mm (in)$ 640 (25,2)	
	bar (psi) 200 (2900,8)	 $A mm (in)$ 320 (12,6)	 $B mm (in)$ 690 (27,2)
	lt. (gal) 50 (13,2)	 $mm (in)$ 575 (22,7)	

GMR 1750 XT

















	ton 7,0 - 9,0	 $m^2 (yd^2)$ 0,35 (0,45)	 $mm (in)$ 962 (37,9)
	Kg. (lb.) 3500 (7717,5)	 $mm (in)$ 120 (4,7)	
	Kg. (lb.) 303 (668,1)	 $mm (in)$ 960 (37,8)	
	$mm (in)$ 1760 (69,3)	 $mm (in)$ 630 (24,8)	
	bar (psi) 200 (2900,8)	 $A mm (in)$ 490 (19,3)	 $B mm (in)$ 835 (32,9)
	lt. (gal) 55 (14,5)	 $mm (in)$ 575 (22,7)	

















RM2 1650



	ton 8,0 - 10,0		m ² (yd ²) 0,31 (0,37)
	Kg. (lb.) 4000 (8820,0)		mm (in) 935 (36,8)
	Kg. (lb.) 263 (579,9)		mm (in) 100 (3,9)
	mm (in) 1650 (65,0)		mm (in) 1030 (40,6)
	bar (psi) 230 (3336,0)		mm (in) 600 (23,6)
	lt. (gal) 65 (17,2)		A mm (in) 550 (21,7)
			B mm (in) 905 (35,7)
			mm (in) 468 (18,4)















RM2 1650 SP



	ton 8,0 - 11,0		m ² (yd ²) 0,3 (0,37)
	Kg. (lb.) 4000 (8820,0)		mm (in) 980 (38,6)
	Kg. (lb.) 300 (661,5)		mm (in) 100 (3,9)
	mm (in) 1650 (65,0)		mm (in) 1030 (40,6)
	bar (psi) 230 (3336,0)		mm (in) 590 (23,2)
	lt. (gal) 65 (17,2)		A mm (in) 550 (21,7)
			B mm (in) 900 (35,5)
			mm (in) 545 (21,5)















RM2 1650 XT



	ton 10,0 - 12,0		m ² (yd ²) 0,31 (0,37)
	Kg. (lb.) 4500 (9922,5)		mm (in) 980 (38,6)
	Kg. (lb.) 305 (672,5)		mm (in) 100 (3,9)
	mm (in) 1650 (65,0)		mm (in) 1030 (40,6)
	bar (psi) 230 (3336,0)		mm (in) 600 (23,6)
	lt. (gal) 65 (17,2)		A mm (in) 550 (21,7)
			B mm (in) 905 (35,7)
			mm (in) 545 (21,5)

RM2 1650 FX

















	ton 9,0 - 11,0		m ² (yd ²) 0,34 (0,37)
	Kg. (lb.) 4000 (8820,0)		mm (in) 1040 (41,0)
	Kg. (lb.) 320 (705,6)		mm (in) 100 (3,9)
	mm (in) 1650 (65,0)		mm (in) 1010 (39,8)
	bar (psi) 230 (3336,0)		mm (in) 650 (25,6)
	lt. (gal) 65 (17,2)		A mm (in) 535 (21,1)
			B mm (in) 960 (37,8)
			mm (in) 545 (21,5)

















RM 1800



	ton 10,0 - 12,0		m ² (yd ²) 0,4 (0,48)
	Kg. (lb.) 5500 (12127,5)		mm (in) 1005 (39,6)
	Kg. (lb.) 400 (882,0)		mm (in) 120 (4,7)
	mm (in) 1820 (71,7)		mm (in) 1180 (46,5)
	bar (psi) 250 (3626,0)		mm (in) 680 (26,8)
	lt. (gal) 90 (23,8)		A mm (in) 590 (23,2)
			B mm (in) 980 (38,6)
			mm (in) 582 (22,9)















RM 1800 HP



	ton 12,0 - 15,0		m ² (yd ²) 0,39 (0,47)
	Kg. (lb.) 6000 (13230,0)		mm (in) 985 (38,8)
	Kg. (lb.) 440 (970,2)		mm (in) 120 (4,7)
	mm (in) 1845 (72,7)		mm (in) 1180 (46,5)
	bar (psi) 250 (3626,0)		mm (in) 680 (26,8)
	lt. (gal) 90 (23,8)		A mm (in) 570 (22,5)
			B mm (in) 960 (37,8)
			mm (in) 582 (22,9)

RM 1800 HD














	ton 12,0 - 16,0		m ² (yd ²) 0,4 (0,48)
	Kg. (lb.) 7000 (15435,0)		mm (in) 1005 (39,6)
	Kg. (lb.) 440 (970,2)		mm (in) 120 (4,7)
	mm (in) 1820 (71,7)		mm (in) 1180 (46,5)
	bar (psi) 250 (3626,0)		mm (in) 680 (26,8)
	lt. (gal) 90 (23,8)		A mm (in) 590 (23,2)
			B mm (in) 980 (38,6)
			mm (in) 582 (22,9)
















RM 2000



	ton 10,0 - 12,0		m ² (yd ²)	0,48 (0,58)
			mm (in)	1100 (43,3)
	Kg. (lb.)		mm (in)	150 (5,9)
	5500 (12127,5)		mm (in)	1225 (48,3)
	bar (psi)		mm (in)	730 (28,8)
	250 (3626,0)		A mm (in)	620 (24,4)
			B mm (in)	1010 (39,8)
	lt. (gal)		mm (in)	582 (22,9)
	90 (23,8)			












RM 2000 HP



	ton 12,0 - 15,0		m ² (yd ²)	0,47 (0,58)
			mm (in)	1060 (41,8)
	Kg. (lb.)		mm (in)	150 (5,9)
	6000 (13230,0)		mm (in)	1225 (48,3)
	bar (psi)		mm (in)	730 (28,8)
	250 (3626,0)		A mm (in)	590 (23,2)
			B mm (in)	980 (38,6)
	lt. (gal)		mm (in)	582 (22,9)
	90 (23,8)			

RM 2000 HD







	ton 13,0 - 16,0		m ² (yd ²)	0,48 (0,58)
			mm (in)	1100 (43,3)
	Kg. (lb.)		mm (in)	150 (5,9)
	7000 (15435,0)		mm (in)	1225 (48,3)
	bar (psi)		mm (in)	730 (28,8)
	250 (3626,0)		A mm (in)	620 (24,4)
			B mm (in)	1010 (39,8)
	lt. (gal)		mm (in)	582 (22,9)
	90 (23,8)			



KFL KIT RAMAGLIE

KIT FOR BRUSHWOOD
KIT POUR BROUSSAILLES
GABEL KIT
KIT DE RAMITAS



	KFL 1100	KFL 1300
Adattabile su - Adjustable on - Adaptable sur - Verstellbar auf - Adaptable a 	GMR 1100	GMR 1300 GMR 1300 HD
Larghezza - Width - Largeur - Breite - Ancho 	mm (in)	mm (in)
Denti - Fingers - Doigts - Zangen - Dedos 	N°	N°
Peso - Weight - Poids - Gewicht - Peso 	Kg. (lb.)	Kg. (lb.)

